


---

## 2026 ICD-10-CM UPDATES

WE'LL BEGIN IN JUST A MOMENT.




1



## 2026 ICD-10-CM UPDATES

OCTOBER 1, 2025 –  
SEPTEMBER 30, 2026



2




**GOT QUESTIONS?**

This presentation will run the entire hour. That means there's no time to answer questions during the presentation. You can still put questions in the chat box and we'll answer via email after all the ICD-10-CM update webinars are complete.




3




**PRESENTER**

**Marc Aguilar**  
Instructor for Ohana Coding

**Certifications:**  
CPC, CPC-I, CRC, CPMA, CDEO, COC, CPB



OHANA CODING  
— Medical Coding Education —



4

## WHAT'S BEING COVERED

- Preamble
- What a difference a year makes
- New Codes for 2026
- Revised Codes for 2026
- Deleted Codes for 2026



## PREAMBLE

- ICD Stands for International Classification of Diseases
- The '10' in ICD-10 stands for the 10<sup>th</sup> revision.
- ICD-10-CM was instituted to the United States on October 1, 2015.
- Did you know there's already an ICD-11 version? The World Health Organization put it into effect on January 1, 2022. No Official timeline has been placed for implementation for the United States.



## REFERENCING THE GUIDELINES

### I.B.4 – Coding Signs and Symptoms

- I = this represents section I of the guidelines.
- B = this represents the 'General Coding Guidelines'.
- 4 = This is the 4<sup>th</sup> item listed under that section.



7

## GUIDELINE UPDATES

### I.A.7

- , Commas are used in the alphabetic index and have different meanings based on the context of the Index entry, including alternate verbiage, modifier (essential and nonessential), or alternate for "and/or"

### I.B.20

- The classification defines "multiple" as involving two or more sites. Follow Chapter-specific guidelines for assigning codes for "multiple sites". In the absence of chapter-specific guidelines, assign codes describing specified sites individually when documented. When the specified site(s) are not documented, assign the appropriate code for "multiple sites".



8

## GUIDELINE UPDATES CONT.

HIV - I.C.1.A.2

- **A. HIV Disease (new for 2026)**– If the term “AIDS” or “HIV Disease” is documented or if the patient is treated for any HIV-related illness or is described as having any condition(s) resulting from the patient’s HIV positive status; code B20, HIV should be assigned
- **C. Patient with HIV disease admitted for unrelated condition** – (this part is added to the existing guideline) Code B20 would be reported as a secondary diagnosis. Codes for other documented conditions should also be reported as secondary diagnoses.
- **E. Asymptomatic human immunodeficiency virus** –When “HIV positive”, “HIV test positive,” or similar terminology is documented, and there is no documentation of symptoms or HIV-related illness, code Z21, Asymptomatic human immunodeficiency virus (HIV) infection status, should be assigned.



9

## GUIDELINE UPDATES CONT.

HIV - I.C.1.A.2 – Continued

- **F. Inconclusive HIV Serology** - Patients with documentation of inconclusive HIV serology, may be assigned code R75, inconclusive laboratory evidence of HIV
- **G. Previously Diagnosed HIV-Related Illness** – Patients with documentation of a prior diagnosis of an HIV-related illness should be code to B20. Once an HIV-related illness has developed, code B20 should always be assigned on every subsequent admission/encounter. Patients previously diagnosed with any HIV illness (B20) should never be assigned to R75, Inconclusive laboratory evidence of human immunodeficiency virus [HIV] or Z21, Asymptomatic human immunodeficiency virus [HIV] infection status.
- **H. HIV infection in Pregnancy, Childbirth and the Puerperium** –When a patient presents during pregnancy, childbirth and the puerperium with documented symptomatic HIV disease or an HIV related illness, assign a code from subcategory O98.7, human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium, followed by code B20 and additional code(s) for any HIV-related illness(es). Codes from Chapter 15 always take sequencing priority. When a patient presents during pregnancy, childbirth and the puerperium with documented Asymptomatic HIV infection status or is HIV-positive, assign a code from subcategory O98.7 followed by code Z21.



10


## GUIDELINE UPDATES CONT.

- HIV - I.C.1.A.2 – Continued
- **I. Encounters for HIV testing** – If a patient without signs or symptoms is tested for HIV, assign code Z11.4, Encounter for screening for human immunodeficiency virus [HIV]. If a patient with signs and symptoms of HIV presents for HIV testing, code the signs and symptoms. An additional counseling code Z71.7, human immunodeficiency virus [HIV] counseling, may be assigned if counseling is provided during the encounter for the test. Code Z11.4, Encounter for screening for human immunodeficiency virus [HIV], should not be assigned if HIV signs and symptoms are present. When a patient presents for follow up regarding their HIV test results and the test result is negative, assign code Z71.7, human immunodeficiency virus [HIV] counseling.
- **J. HIV disease or HIV positive status managed by antiretroviral medication** – If a patient with documented HIV positive status is currently managed on antiretroviral medication, assign code Z21, Asymptomatic human immunodeficiency virus [HIV] infection status, in the absence of any additional documentation of HIV disease, HIV-related or AIDs.




## WHAT A DIFFERENCE A YEAR MAKES

- 487 New Codes for 2026
- Compared to 252 new codes in 2025




## WHAT A DIFFERENCE A YEAR MAKES

- 38 code revisions for 2026
- Compared to 13 revised codes in 2025



## WHAT A DIFFERENCE A YEAR MAKES

- 28 Code deletions for 2026
- Compared to 36 code deletions for 2025



## NEW CODES

### Chapter 1 Codes

- B88.01 – Infestation by Demodex Mites
- B88.09 – Other Acariasis



## NEW CODES CONT.

### Chapter 2 Codes - Neoplasms

#### C50.A – Malignant Inflammatory Neoplasm of Breast (Parent Code)

- C50.A0 – Malignant Inflammatory Neoplasm of Unspecified Breast
- C50.A1 – Malignant Inflammatory Neoplasm of Right Breast
- C50.A2 – Malignant Inflammatory Neoplasm of Left Breast

## NEW CODES CONT.

### Chapter 3 Codes

#### D71 – Converted to Parent Code

- D71.1 – Leukocyte Adhesion Deficiency
- D71.8 – Other Functional Disorders of Polymorphonuclear Neutrophils
- D71.9 - Functional Disorders of Polymorphonuclear Neutrophils, Unspecified



## NEW CODES CONT.

### Chapter 4 Codes – 23 New Codes

- E11.A – Type 2 Diabetes Mellitus W/O Complications in Remission

*New Guideline for 2026 - This code is assigned based on provider documentation that the diabetes is in remission. If the documentation is unclear as to whether the Type 2 diabetes mellitus has achieved remission, the provider should be queried. For example, the term "resolved" is not synonymous with remission. (I.C.4.b)*



## NEW CODES CONT.

# Hyperoxaluria

E72.53 - Primary Hyperoxaluria – This code has been converted to a parent code for 2026

- E72.530 - Primary Hyperoxaluria, Type I
- E72.538 – Other Specified Primary Hyperoxaluria
- E72.539 - Primary Hyperoxaluria Unspecified

E72.54 – Secondary Hyperoxaluria – Parent Code

- E72.540 – Dietary Hyperoxaluria
- E72.541 – Enteric Hyperoxaluria
- E72.548 – Other Secondary Hyperoxaluria
- E72.549 - Secondary Hyperoxaluria, Unspecified



## NEW CODES CONT.

# Hypercholesterolemia

E78.01 - Familial Hypercholesterolemia – Converted to a Parent Code in 2026

- E78.010 – Homozygous Familial Hypercholesterolemia [HoFH]
- E78.011 – Heterozygous Familial Hypercholesterolemia [HeFH]
- E78.019 - Familial Hypercholesterolemia, Unspecified



## NEW CODES CONT.

### **E83.82 – Disorders of Pyrophosphate Metabolism**

- E83.820 – Generalized Arterial Calcification of Infancy with Unspecified Genetic Causality
- E83.821 – ENPPI Deficiency Causing Generalized Arterial Calcification of Infancy
- E83.822 - ENPPI Deficiency Causing Autosomal Recessive Hypophosphatemic Rickets Type 2
- E83.823 – ABCC6 Deficiency Causing Generalized Arterial Calcification of Infancy
- E83.824 - ABCC6 Generalized Arterial Calcification of Infancy Pseudoxanthoma Elasticum
- E83.825 – CD73 Deficiency Causing Arterial Calcification



## NEW CODES CONT.

### **Lipodystrophy**

E88.1 – Lipodystrophy, Not Elsewhere Classified – Converted to a Parent Code for 2026

- E88.10 – Lipodystrophy, Unspecified
- E88.11 – Partial Lipodystrophy
- E88.12 – Generalized Lipodystrophy
- E88.13 – Localized Lipodystrophy
- E88.14 – HIV-Associated Lipodystrophy
- E88.19 – Other Lipodystrophy, Not Elsewhere Classified



## NEW CODES CONT.

### Chapter 6 Codes – 10 New Codes

- G31.87 Primary Progressive Apraxia of Speech

#### G35 – Converted to a parent Code for 2026

- G35.A – Relapsing-Remitting Multiple Sclerosis
- G35.B – Primary Progressive Multiple Sclerosis
- G35.B0 - Primary Progressive Multiple Sclerosis, Unspecified
- G35.B1 – Active Primary Progressive Multiple Sclerosis
- G35.B2 - Active Primary Progressive Multiple Sclerosis



## NEW CODES CONT. - MS CONTINUED

#### G35.C – Secondary Progressive Multiple Sclerosis

- G35.C0 - Secondary Progressive Multiple Sclerosis, Unspecified
  - G35.C1 – Active Secondary Progressive Multiple Sclerosis
  - G35.C2 – Non-Active Secondary Progressive Multiple Sclerosis
  - G35.D - Multiple Sclerosis, Unspecified
- 
- G71.036 – Limb Girdle Muscular Dystrophy Due to Fukutin Related Protein Dysfunction



## NEW CODES CONT.

### Chapter 7 Codes – 17 New Codes

#### H01.8 – Other Specified Inflammations of Eyelid – Converted to Parent Code for 2026

- H01.81 - Other Specified Inflammations of Right Upper Eyelid
- H01.82 - Other Specified Inflammations of Right Lower Eyelid
- H01.83 - Other Specified Inflammations of Right Eye, Unspecified Eyelid
- H01.84 - Other Specified Inflammations of Left Upper Eyelid
- H01.85 - Other Specified Inflammations of Left Lower Eyelid
- H01.86 - Other Specified Inflammations of Left Eye, Unspecified Eyelid
- H01.89 - Other Specified Inflammations of Unspecified Eye, Unspecified Eyelid
- H01.8A - Other Specified Inflammations of Right Eye and Lower Eyelids
- H01.8B - Other Specified Inflammations of Left Eye and Lower Eyelids



25

## NEW CODES CONT.

#### H05.83 – Thyroid Orbitopathy - New Parent Code for 2026

- H05.831 - Thyroid Orbitopathy, Right Orbit
- H05.832 - Thyroid Orbitopathy, Left Orbit
- H05.833 - Thyroid Orbitopathy, Bilateral
- H05.839 - Thyroid Orbitopathy, Unspecified Orbit

#### H40.84 – Neovascular Secondary Angle Closure Glaucoma – New Parent Code for 2026

- H40.841 - Neovascular Secondary Angle Closure Glaucoma, Right Eye
- H40.842 - Neovascular Secondary Angle Closure Glaucoma, Left Eye
- H40.843 - Neovascular Secondary Angle Closure Glaucoma, Bilateral
- H40.849 - Neovascular Secondary Angle Closure Glaucoma, Unspecified Eye



26

## NEW CODES CONT.

### Chapter 9 Codes – 4 New Codes

#### I27.84 – Fontan Related Circulation – New Parent Code for 2026

- I27.840 – Fontan-associated Liver Disease [FALD]
- I27.841 – Fontan-associated Lymphatic Dysfunction
- I27.848 – Other Fontan-associated Condition
- I27.849 – Fontan Related Circulation, Unspecified



## NEW CODES CONT.

### Chapter 12 Codes - 116 New Codes

- L02.217 – Cutaneous Abscess of Flank
- L02.227 - Furuncle of Flank
- L03.31A – Cellulitis of Flank
- L03.32A – Acute Lymphangitis of Flank



## NEW CODES CONT.

The rest of the Chapter 12 codes are for Non-Pressure Chronic Ulcers

Below is a list of parent codes for this chapter.

- L98.43 – Non-Pressure Chronic Ulcer of Abdomen
- L98.44 - Non-Pressure Chronic Ulcer of Chest
- L98.45 - Non-Pressure Chronic Ulcer of Neck
- L98.46 - Non-Pressure Chronic Ulcer of Face
- L98.47 - Non-Pressure Chronic Ulcer of Groin



## NEW CODES CONT.

**L98.A - Non-Pressure Chronic Ulcer of Upper Limb, Not Elsewhere Classified**

- L98.A1 - Non-Pressure Chronic Ulcer of Upper Arm
- L98.A2 - Non-Pressure Chronic Ulcer of Forearm
- L98.A3 - Non-Pressure Chronic Ulcer of Hand



## NEW CODES CONT.

### Chapter 13 Codes – 1 New Code

- M05.A – Abnormal Rheumatoid Factor and Anti-Citrullinated Protein Antibody with Rheumatoid Arthritis



## NEW CODES CONT.

### Chapter 14 Codes – 5 New Codes

#### **N00.B – Acute Nephritic Syndrome with Immune Complex Membranoproliferative Glomerulonephritis**

- N00.B1 - Acute Nephritic Syndrome with Idiopathic Immune Complex Membranoproliferative Glomerulonephritis
- N00.B2 - Acute Nephritic Syndrome with Secondary Immune Complex Membranoproliferative Glomerulonephritis

#### **N04.B – Nephrotic Syndrome with Immune Complex Membranoproliferative Glomerulonephritis**

- N04.B1 - Nephrotic Syndrome with Idiopathic Immune Complex Membranoproliferative Glomerulonephritis
- N04.B2 - Nephrotic Syndrome with Secondary Immune Complex Membranoproliferative Glomerulonephritis

- N07.B – Hereditary Nephropathy, Not Elsewhere Classified with APOL1-Mediated Kidney Disease

## NEW CODES CONT.

### Chapter 17 Codes – 23 New Codes

- Q87.87 – Hao-Fountain Syndrome
- Q87.88 – CTNNB1 Syndrome

#### Q89.8 – Other Specified Congenital Malformations – Converted to a Parent Code for 2026

- Q89.81 – Kabuki Syndrome
- Q89.89 - Other Specified Congenital Malformations



## NEW CODES CONT.

#### Q99.8 – Other Specified Chromosome Abnormalities – Converted to a Parent Code for 2026

##### Q99.81 – Usher Syndrome

- Q99.811 – Usher Syndrome, Type 1
- Q99.812 - Usher Syndrome, Type 2
- Q99.813 - Usher Syndrome, Type 3
- Q99.818 – Other Usher Syndrome
- Q99.819 - Usher Syndrome, Unspecified
- Q99.89 – Other Specified Chromosome Abnormalities



## NEW CODES CONT.

- **QA0 – Neurodevelopmental Disorders Related to Specific Genetic Pathogenic Variants – New Parent Code for 2026**
- QA0.0 - Neurodevelopmental Disorders Related to Pathogenic Variants in Specific Genes
- QA0.01 - Neurodevelopmental Disorders Related to Pathogenic Variants in Certain Specific Genes
- QA0.010 - Neurodevelopmental Disorders, Related to Pathogenic Variants in Ion Channel Genes
- QA0.0101 – SCN2A- related Neurodevelopmental Disorder
- QA0.0102 – CACNA1A-related Neurodevelopmental Disorder
- QA0.0109 - Neurodevelopmental Disorder Related to Pathogenic Variant in Other Ion Channel Gene



## NEW CODES CONT.

- QA0.011 - Neurodevelopmental Disorder, Related to Pathogenic Variant in Glutamate Receptor Genes
- QA0.012 - Neurodevelopmental Disorder, Related to Pathogenic Variant in other Receptor Genes
- **QA0.013 - Neurodevelopmental Disorder, Related to Pathogenic Variant in Other Transporter and Solute Carrier Genes**
- QA0.1031 – SLC6A1-Related Disorder
- QA0.0139 - Neurodevelopmental Disorder Related to Pathogenic Variant in **Other Transporter or Solute Carrier Genes**



## NEW CODES CONT.

### **QA0.014 - Neurodevelopmental Disorder, Related to Pathogenic Variant in Synapse Related Gene**

- QA0.0141 – Syntaxin-binding Protein 1-Related Disorder
- QA0.0142 – DLG4-Related Synaptopathy
- QA0.0149 - Neurodevelopmental Disorder, Related to Pathogenic Variant in Other Synapse Related Gene

### **QA0.015 - Neurodevelopmental Disorders, Related to Genes Associated with Transcription and Gene Expression**

- QA0.0151 – FOXP1 Syndrome
- QA0.0159 - Neurodevelopmental Disorder, Related to other Genes Associated with Transcription and Gene Expression

### **QA0.8 – Other Neurodevelopmental Disorders Related to Pathogenic Variants in other Specific Genes**



## NEW CODES CONT.

### **Chapter 18 Codes – 21 New Codes**

#### **R10.2 – Pelvic and Perineal Pain - Converted to Parent Code for 2026**

- R10.20 - Pelvic and Perineal Pain Unspecified Side
- R10.21 - Pelvic and Perineal Pain Right Side
- R10.22 - Pelvic and Perineal Pain Left Side
- R10.23 - Pelvic and Perineal Pain Bilateral
- R10.24 – Suprapubic Pain
- R10.85 – Abdominal Pain of Multiple Sites



## NEW CODES CONT.

### **R10.8A – Flank Tenderness – New Parent Code for 2026**

- R10.8A1 – Right Flank Tenderness
- R10.8A2 – Left Flank Tenderness
- R10.8A3 – Suprapubic Tenderness
- R10.8A9 - Flank Tenderness, Unspecified

### **R10.A – Pain Localized to Flank – New Parent Code for 2026**

- R10.A0 – Flank Pain, Unspecified Side
- R10.A1 - Flank Pain, Right Side
- R10.A2 - Flank Pain, Left Side
- R10.A3 - Flank Pain, Bilateral



## NEW CODES CONT.

- R11.16 – Cannabis Hyperemesis Syndrome

### **R39.85 – Costovertebral (angle) Tenderness – New Parent Code for 2026**

- R39.851 - Costovertebral (angle) Tenderness, Right Side
- R39.852 - Costovertebral (angle) Tenderness, Left Side
- R39.853 - Costovertebral (angle) Tenderness, Bilateral
- R39.859 - Costovertebral (angle) Tenderness, Unspecified Side

### **R76.8 – Other Specified Abnormal Immunological Findings in Serum – Converted to a Parent Code for 2026**

- R76.81 – Abnormal Rheumatoid Factor and Anti-Citrullinated Protein Antibody w/o Rheumatoid Arthritis
- R76.89 – Other Specified Abnormal Immunological Findings in Serum



## NEW CODES CONT.

### Chapter 19 Codes – 213 New Codes!!!!

Below is a list of parent codes for this chapter.

- S30.11 – Contusion of Abdominal Wall
- S30.12 – Contusion of Groin
- S30.13 – Contusion of Flank (latus) Region
- S30.81A – Abrasion of Flank
- S30.82A – Blister (nonthermal) of Flank
- S30.84A – External Constriction of Flank
- S30.85A – Superficial Foreign Body of Flank



## NEW CODES CONT.

- S30.86A – Insect Bite (nonvenomous) of Flank
- S30.87A – Other Superficial Bite of Flank
- S30.9A – Unspecified Superficial Injury of Flank
- S31.106 – Unspecified Open Wound of Abdominal Wall, Right Flank w/o penetration into Peritoneal Cavity
- S31.107 – Unspecified Open Wound of Abdominal Wall, Left Flank w/o penetration into Peritoneal Cavity
- S31.10A – Unspecified Open Wound of Abdominal Wall, Unspecified Flank w/o penetration into Peritoneal Cavity
- S31.116 – Laceration w/o Foreign Body of Abdominal Wall, Right Flank w/o penetration into Peritoneal Cavity
- S31.117 – Laceration w/o Foreign Body of Abdominal Wall, Left Flank w/o penetration into Peritoneal Cavity
- S31.11A – Laceration w/o Foreign Body of Abdominal Wall, Unspecified Flank w/o penetration into Peritoneal Cavity



## NEW CODES CONT.

- S31.126 - Laceration with Foreign Body of Abdominal Wall, Right Flank w/o penetration into Peritoneal Cavity
- S31.127 - Laceration with Foreign Body of Abdominal Wall, Left Flank w/o penetration into Peritoneal Cavity
- S31.12A - Laceration with Foreign Body of Abdominal Wall, Unspecified Flank w/o penetration into Peritoneal Cavity
- S31.136 – Puncture Wound of Abdominal Wall w/o Foreign Body, Right Flank w/o penetration into Peritoneal Cavity
- S31.137 - Puncture Wound of Abdominal Wall w/o Foreign Body, Left Flank w/o penetration into Peritoneal Cavity
- S31.13A - Puncture Wound of Abdominal Wall w/o Foreign Body, Unspecified Flank w/o penetration into Peritoneal Cavity



## NEW CODES CONT.

- S31.146 - Puncture Wound of Abdominal Wall with Foreign Body, Right Flank w/o penetration into Peritoneal Cavity
- S31.147 - Puncture Wound of Abdominal Wall with Foreign Body, Left Flank w/o penetration into Peritoneal Cavity
- S31.14A - Puncture Wound of Abdominal Wall with Foreign Body, Unspecified Flank w/o penetration into Peritoneal Cavity
- S31.156 – Open Bite of Abdominal Wall, Right Flank w/o penetration into Peritoneal Cavity
- S31.157 - Open Bite of Abdominal Wall, Left Flank w/o penetration into Peritoneal Cavity
- S31.15A - Open Bite of Abdominal Wall, Unspecified Flank w/o penetration into Peritoneal Cavity



## NEW CODES CONT.

- S31.606 – Unspecified Open Wound of Abdominal Wall, Right Flank with penetration into Peritoneal Cavity
- S31.607 - Unspecified Open Wound of Abdominal Wall, Left Flank with penetration into Peritoneal Cavity
- S31.60A - Unspecified Open Wound of Abdominal Wall, Unspecified Flank with penetration into Peritoneal Cavity
- S31.616 – Laceration w/o Foreign Body of Abdominal Wall, Right Flank with penetration into Peritoneal Cavity
- S31.617 - Laceration w/o Foreign Body of Abdominal Wall, Left Flank with penetration into Peritoneal Cavity
- S31.61A - Laceration w/o Foreign Body of Abdominal Wall, Unspecified Flank with penetration into Peritoneal Cavity
- S31.626 - Laceration with Foreign Body of Abdominal Wall, Right Flank with penetration into Peritoneal Cavity
- S31.627 - Laceration w/o Foreign Body of Abdominal Wall, Left Flank with penetration into Peritoneal Cavity
- S31.62A - Laceration w/o Foreign Body of Abdominal Wall, Unspecified Flank with penetration into Peritoneal Cavity



45

## STRETCH BREAK!



46

## NEW CODES CONT.

- S31.636 – Puncture Wound of Abdominal Wall w/o Foreign Body, Right Flank with penetration into Peritoneal Cavity
- S31.637 - Puncture Wound of Abdominal Wall w/o Foreign Body, Left Flank with penetration into Peritoneal Cavity
- S31.63A - Puncture Wound of Abdominal Wall w/o Foreign Body, Unspecified Flank with penetration into Peritoneal Cavity
- S31.646 - Puncture Wound of Abdominal Wall with Foreign Body, Right Flank with penetration into Peritoneal Cavity
- S31.647 - Puncture Wound of Abdominal Wall with Foreign Body, Left Flank with penetration into Peritoneal Cavity
- S31.64A - Puncture Wound of Abdominal Wall with Foreign Body, Unspecified Flank with penetration into Peritoneal Cavity



## NEW CODES CONT.

- S31.656 – Open Bite of Abdominal Wall, Right Flank with penetration into Peritoneal Cavity
- S31.657 - Open Bite of Abdominal Wall, Left Flank with penetration into Peritoneal Cavity
- S31.65A - Open Bite of Abdominal Wall, Unspecified Flank with penetration into Peritoneal Cavity



## QUICK REMINDER

### Standard 7<sup>th</sup> Character Extensions

- A – Initial Encounter = This is used when the patient is receiving active treatment for an injury
- D – Subsequent Encounter = This is used for encounters after the patient has received active treatment for an injury and is receiving routine care for the injury during the healing or recovery phase.
- S – Sequela – This is used for complications or conditions that arise as a direct result of an injury, such as scar formation after a burn. The scars are sequela of the burn.

There are other 7<sup>th</sup> character extensions of course.



49

## NEW CODES CONT.

### T36.A – Poisoning by, Adverse Effect of and Underdoing of Fluoroquinolone Antibiotics

- T36.AX - Poisoning by, Adverse Effect of and Underdoing of Fluoroquinolone Antibiotics
- T36.AX1 - Poisoning by Fluoroquinolone Antibiotics, Accidental (unintentional)
- T36.AX2 - Poisoning by Fluoroquinolone Antibiotics, Intentional Self-Harm
- T36.AX3 - Poisoning by Fluoroquinolone Antibiotics, Assault
- T36.AX4 - Poisoning by Fluoroquinolone Antibiotics, Undetermined
- T36.AX5 – Adverse Effect of Fluoroquinolone Antibiotics
- T36.AX6 – Underdosing of Fluoroquinolone Antibiotics



50

## NEW CODES CONT.

### **T65.84 – Toxic Effect of Xylazine**

- T65.841 - Toxic Effect of Xylazine, Accidental (Unintentional)
- T65.842 - Toxic Effect of Xylazine, Intentional Self-Harm
- T65.843 - Toxic Effect of Xylazine, Assault
- T65.844 - Toxic Effect of Xylazine, Underdetermined

### **T75.83 – Effects of War Theater**

- T75.830 – Gulf War Illness
- T75.838 – Effects of Other War Theater



## NEW CODES CONT.

- T78.070 - Anaphylactic Reaction Due to Milk and Dairy Products with Tolerance to Baked Milk
- T78.071 - Anaphylactic Reaction Due to Milk and Dairy Products with Reactivity to Baked Milk
- T78.079 - Anaphylactic Reaction Due to Milk and Dairy Products, Unspecified
- T78.080 - Anaphylactic Reaction Due to Egg with Tolerance to Baked Egg
- T78.081 - Anaphylactic Reaction Due to Egg with Reactivity to Baked Egg
- T78.089 - Anaphylactic Reaction Due to Egg, Unspecified



## NEW CODES CONT.

### **T78.11 – Other Adverse Food Reactions due to Milk and Dairy Products**

- T78.110 – Other Adverse Food Reactions due to Milk and Dairy Products with Tolerance to Baked Milk
- T78.111 - Other Adverse Food Reactions due to Milk and Dairy Products with Reactivity to Baked Milk
- T78.119 - Other Adverse Food Reactions due to Milk and Dairy Products with Baked Milk Tolerance/Reactivity, Unspecified

### **T78.12 – Other Adverse Food Reaction due to Eggs**

- T78.120 - Other Adverse Food Reaction due to Eggs with Tolerance to Baked Egg
- T78.121 - Other Adverse Food Reaction due to Eggs with Reactivity to Baked Egg
- T78.129 - Other Adverse Food Reaction due to Eggs with Baked Egg Tolerance/Reactivity, Unspecified

### **T78.19 – Other Adverse Food Reactions, Not Elsewhere Classified**



53

## NEW CODES CONT.

### **Chapter 20 Codes - 20 New Codes**

- W44.H9 – Other Sharp Object Entering Into or Through a Natural Orifice
- W45.3 – Fishing Hook Entering Through Skin

### **Y36.A – Blast Overpressure in War Operations**

- Y36.A1 – Low Level Blast Overpressure in War Operations
- Y36.A2 - High Level Blast Overpressure in War Operations

### **Y37.A – Blast Overpressure in Military Operations**

- Y37.A1 - Low Level Blast Overpressure in Military Operations
- Y37.A2 - High Level Blast Overpressure in Military Operations

### **Y93.L – Other Outdoor Activity**



54

## NEW CODES CONT.

### Chapter 21 Codes – 26 New Codes

**Z15.05 – Genetic Susceptibility to Malignant Neoplasm of Fallopian Tube(s)**

**Z15.06 - Genetic Susceptibility to Malignant Neoplasm of Digestive System**

- Z15.060 - Genetic Susceptibility to Colorectal Cancer
- Z15.068 - Genetic Susceptibility to Other Malignant Neoplasm of Digestive System

**Z15.07 - Genetic Susceptibility to Malignant Neoplasm of Urinary Tract**

**Z15.3 - Genetic Susceptibility to Kidney Disease**



55

## NEW CODES CONT.

**Z40.8 – Encounter for Other Prophylactic Surgery – Converted to a Parent Code for 2026**

- Z40.81 - Encounter for Other Prophylactic Surgery for Removal of Ovary(s) for Persons Without Known Genetic/Familial Risk Factors
- Z80.82 - Encounter for Other Prophylactic Surgery for Removal of Fallopian Tube(s) for Persons Without Known Genetic/Familial Risk Factors
- Z40.89 – Encounter for Other Prophylactic Surgery

**Z59.86 – Financial Insecurity – Converted to a Parent Code for 2026**

- Z59.861 - Financial Insecurity, Difficulty Paying for Utilities
- Z59.868 – Other Specified Financial Insecurity
- Z59.869 - Financial Insecurity, Unspecified



56

## NEW CODES CONT.

### **Z77.3 – Contact with and (Suspected) Exposure to War Theater**

- Z77.31 - Contact with and (Suspected) Exposure to Gulf War Theater
- Z77.39 - Contact with and (Suspected) Exposure to Other War Theater

### **Z80.44 – Family History of Malignant Neoplasm of Fallopian Tube(s)**

### **Z84.1 – Family History of Disorders of Kidney and Ureter – Converted to Parent Code for 2026**

- Z84.11 - Family History of APOLI-Mediated Kidney Disease
- Z84.19 - Family History of Other Disorders of Kidney and Ureter
- Z84.A - Family History of Exposure to Diethylstilbestrol
- Z85.4A – Personal History of Malignant Neoplasm of Fallopian Tube(s)
- Z86.00A – Personal History of In-Situ Neoplasm of the Fallopian Tube(s)



## NEW CODES CONT.

### **Z91.011 – Allergy to Milk Products – Converted to a Parent Code for 2026**

- Z91.0110 - Allergy to Milk Products, Unspecified
- Z91.9111 - Allergy to Milk Products with Tolerance to Baked Milk
- Z91.0112 - Allergy to Milk Products with Reactivity to Baked Milk

### **Z91.012 – Allergy to Eggs – Converted to a Parent Code for 2026**

- Z91.0120 - Allergy to Eggs, Unspecified
- Z91.0121 - Allergy to Eggs with Tolerance to Baked Eggs
- Z91.0122 - Allergy to Eggs with Reactivity to Baked Eggs
- Z91.8 – Personal Risk Factor of Exposure to Diethylstilbestrol



## CHAPTER 22

- There are no updates, revisions or deletions for this chapter. I just love pointing out this chapter because it has a grand total of 3 codes. An entire chapter with just 3 codes.



59

REVISED CODES

38 Revisions for 2026

**REVISION**



60

## REVISED CODES

- L02.212 – Cutaneous Abscess of Back [Any Part, Except Buttock and Flank]
- L02.222 – Furuncle of Back [Any Part, Except Buttock and Flank]
- M21.159 – Varus Deformity, Not Elsewhere Classified, Unspecified Hip
- M24.076 – Loose Body in Unspecified Toe Joint(s)
- M61.129 – Myositis Ossificans Progressiva, Unspecified Upper Arm
- P09.6 – Abnormal Findings on Neonatal Hearing Screening



## REVISED CODES CONT.

- Q75.00 – Craniosynostosis, Unspecified
- Q75.001 – Craniosynostosis, Unspecified Type, Unilateral
- Q75.002 – Craniosynostosis, Unspecified Type, Bilateral
- Q75.009 – Craniosynostosis, Unspecified
- Q75.021 – Coronal Craniosynostosis, Unilateral
- Q75.022 – Coronal Craniosynostosis, Bilateral
- Q75.029 – Coronal Craniosynostosis, Unspecified



## REVISED CODES CONT.

- S62.9 – Unspecified Fracture of ~~Wrist and~~ Hand
- S62.90 - Unspecified Fracture of Unspecified ~~Wrist and~~ Hand (7 Codes with different 7<sup>th</sup> character extensions fall under this definition)
- S62.91 – Unspecified Fracture of Right ~~Wrist and~~ Hand (7 Codes with different 7<sup>th</sup> character extensions fall under this definition)
- S62.92 - Unspecified Fracture of Left ~~Wrist and~~ Hand (7 Codes with different 7<sup>th</sup> character extensions fall under this definition)
- S74.21 – Injury to Cutaneous Sensory Nerve at Hip and **Thigh** Level, Right Leg (3 Codes with different 7<sup>th</sup> character extensions fall under this definition)



## REVISED CODES CONT.

- W44.G – Other Non-Organic Objects Entering Into or Through a Natural Orifice
- Y07.435 – Stepbrother, Perpetrator ~~of~~ **of** Maltreatment and Neglect
- Z83.718 – ~~Other~~ Family History of **Other** Colon Polyps





## DELETED CODES

There are 28 Deleted Codes for 2026. That includes the ones that have been converted to Parent Codes.



## DELETED CODES

- S30.1XXA – Contusion of Abdominal Wall, Initial Encounter
- S30.1XXD - Contusion of Abdominal Wall, Subsequent Encounter
- S30.1XXS - Contusion of Abdominal Wall, Sequela
- T78.07XA – Anaphylactic Reaction due to Milk and Dairy Products, Initial Encounter
- T78.07XD - Anaphylactic Reaction due to Milk and Dairy Products, Subsequent Encounter
- T78.97XS - Anaphylactic Reaction due to Milk and Dairy Products, Sequela
- T78.08XA - Anaphylactic Reaction due to Eggs, Initial Encounter
- T78.08XD - Anaphylactic Reaction due to Eggs, Subsequent Encounter
- T78.08XS - Anaphylactic Reaction due to Eggs, Sequela



## DELETED CODES CONT.

- T78.IXXA - Other Adverse Food Reactions, Not Elsewhere Classified, Initial Encounter
- T78.IXXD - Other Adverse Food Reactions, Not Elsewhere Classified, Subsequent Encounter
- T78.IXXS - Other Adverse Food Reactions, Not Elsewhere Classified, Sequela



67

**THANK YOU!**

**THAT'S IT  
FOR 2026**



68

## CPT UPDATES

Next week we'll be doing the same thing for the 2026 CPT updates. Like this webinar, it will be free and good for 1 AAPC CEU.



69



**OHANA CODING**  
— Medical Coding Education —

VISIT [WWW.OHANACODING.COM](http://WWW.OHANACODING.COM) FOR MORE GREAT  
EDUCATIONAL OPPORTUNITIES



70

## ICD-10-CM UPDATE WEBINAR SLIDES

Go to <https://www.ohanacoding.com/icd-10-cm-2026-update-webinar>



71

## CEU NUMBER

**2026 ICD-10-CM Updates Webinar**

**Index # 25110HC1113251154A**

**A CEU certificate will be emailed out no more than 24 hours after this webinar.  
You need to have been logged in the entire time in order to receive the CEU certificate.**



72