



2027 ICD-10-CM UPDATES

**OCTOBER 1, 2026 –
SEPTEMBER 30, 2027**



GOT QUESTIONS?

This presentation will run the entire hour. That means there's no time to answer questions during the presentation. You can still put questions in the chat box and we'll answer via email after all the ICD-10-CM update webinars are complete.



PRESENTER

Marc Aguilar

Instructor for Ohana Coding

Certifications:

CPC, CPC-I, CRC, CPMA, CDEO, COC, CPB



WHAT'S BEING COVERED

- Preamble
- What a difference a year makes
- New Codes for 2027
- Revised Codes for 2027
- Deleted Codes for 2027



PREAMBLE

- ICD Stands for International Classification of Diseases
- The '10' in ICD-10 stands for the 10th revision.
- ICD-10-CM was instituted to the United States on October 1, 2015.
- Did you know there's already an ICD-11 version? The World Health Organization put it into effect on January 1, 2022. No Official timeline has been placed for implementation for the United States.



REFERENCING THE GUIDELINES

I.B.4 – Coding Signs and Symptoms

- I = this represents section I of the guidelines.
- B = this represents the 'General Coding Guidelines'.
- 4 = This is the 4th item listed under that section.



GUIDELINE UPDATES

I.C.9.a.1

- Hypertension with **one or more** heart conditions classified to I50.-, Heart failure, Myocarditis, unspecified, I51.89, Other ill-defined heart diseases **or** I51.9, Heart disease, unspecified, is assigned a code from category I11, Hypertensive heart disease..... Hypertension with **one or more** heart conditions classified to I51.5, Myocardial degeneration, or I51.7, Cardiomegaly, is assigned a code from category I11, Hypertensive heart disease. No additional code is assigned to identify the specific heart condition.

I.C.9.a.10

- Assign a code from category I16, Hypertensive crisis, for documented hypertensive urgency, hypertensive emergency or unspecified hypertensive crisis. Code also any identified hypertensive disease (I10-I15, **I1A**). The sequencing is based on the reason for the encounter.



GUIDELINE UPDATES CONT.

I.C.17

- Chapter 17: Congenital malformations, deformations, chromosomal abnormalities, and genetic disorders (Q00 – QAI)

I.C.21.c.4

- History (of) – Z84.A – Family history of exposure to diethylstilbestrol

Note: Code Z84.4, Family history of exposure to diethylstilbestrol (DES), is assigned when the patient has a family member that was exposed to DES that could cause the patient to be at a higher risk for a condition related to the exposure. This code is used, for example, when the patient's maternal grandmother was exposed to DES.



GUIDELINE UPDATES CONT.

I.C.21.c.13


- Z91.B – Personal risk factor of exposure to diethylstilbestrol (this code already exists but a note has been added underneath it.)

Note: This code is assigned to show the patient was directly exposed to DES in utero (e.g., when the patient's mother was exposed to DES while patient was in utero).




WHAT A DIFFERENCE A YEAR MAKES

- 190 New Codes for 2027
- Compared to 487 new codes in 2026
- In the AAPC ICD-10-CM Book a black circle next to a code indicates a 'new code'.




WHAT A DIFFERENCE A YEAR MAKES

- 4 code revisions for 2027
- Compared to 38 revised codes in 2026



WHAT A DIFFERENCE A YEAR MAKES

- 30 Code deletions for 2027
- Compared to 28 code deletions for 2026



NEW CODES

Chapter I Codes

- No updated codes



NEW CODES CONT.

Chapter 2 Codes –Neoplasms - 3 New codes

- **C78.31 – Secondary Malignant Neoplasm of Larynx**
- **C78.32 – Secondary Malignant Neoplasm of Pharynx**
- **C79.83 - Secondary Malignant Neoplasm of Oral Cavity**



NEW CODES CONT.

Chapter 3 Codes – 2 New Codes

- D69.11 – Glanzmann Thrombasthenia
- D69.19 - Other Qualitative Platelet Defects



NEW CODES CONT.

Chapter 4 Codes – 2 New Codes

E89.83 – Postprocedural Hypoglycemia Following a Procedure – New Parent Code for 2027

- E89.830 – Post Bariatric Hypoglycemia
- E89.838 – Other Postprocedural Hypoglycemia

There's a use additional note under E89.83 which states if you know the hypoglycemia level use E16.A-



NEW CODES CONT.

Chapter 5 Code - I New Code

- F64.A – Gender Identity Disorder, in Remission



NEW CODES CONT.

No New Code for Chapter 6, 7 or 8



NEW CODES CONT.

Chapter 9 Codes – 9 New Codes

I42.0 – Dilated Cardiomyopathy - New Parent Code for 2027

- I42.00 – Dilated Cardiomyopathy, Unspecified
- I42.01 – Familial-Genetic Dilated Cardiomyopathy, Unspecified
- I42.09 – Other Dilated Cardiomyopathy

- I42.81 – Arrhythmogenic Cardiomyopathy
- I42.89 – Other Cardiomyopathies Not Elsewhere Classified



NEW CODES CONT.

- I47.22 – Catecholaminergic Polymorphic Ventricular Tachycardia (CPVT)
- I49.81 – Brugada Syndrome
- I49.82 – Ventricular Bigeminy
- I49.89 – Other Specified Cardiac Arrhythmias Not Elsewhere Classified



NEW CODES CONT.

Chapter I0 Codes – 6 New Codes

J34.83 – Odontogenic Sinusitis- New Parent Code for 2027

- J34.830 – Odontogenic Sinusitis, Maxillary Sinus
- J34.831 – Odontogenic Sinusitis, Ethmoid Sinus
- J34.832 – Odontogenic Sinusitis, Frontal Sinus
- J34.833 – Odontogenic Sinusitis, Sphenoid Sinus
- J34.839 – Odontogenic Sinusitis, Unspecified



NEW CODES CONT.

J4B - Pulmonary Mycetoma (Pulmonary Fungal Ball)

Code Also, if known, associated infection, such as:

- Aspergillosis (B44.-)
- Chronic Pulmonary Coccidioidomycosis (B38.I)
- Pulmonary Candidiasis (B37.I)



NEW CODES CONT.

Chapter 11 Codes - 6 New Codes

K31.B – Hypertrophic Pyloric Stenosis, in Childhood

K6A – Diseases of the Pelvis, Not Elsewhere Classified - New Category Code for 2027

K6A.0 – Pelvic Abscess - New Parent Code for 2027

- K6A.01 – Pelvic Abscess
- K6A.09 – Other Pelvic Abscess

K6A.8 – Other Diseases of the Pelvis, Not Elsewhere Classified



NEW CODES CONT.

- K74.0A – Hepatic Fibrosis, Moderate Fibrosis
- K76.83 – Intestinal Failure-Associated Liver Disease



NEW CODES CONT.


Chapter 12 Codes - 1 New Code

- L02.237 – Carbuncle of Flank



NEW CODES CONT.

Chapter 13 Codes – 31 New Codes



NEW CODES CONT.

- M04.3 – VEXAS Syndrome
- **M67.A – Plantar Fasciitis – New Parent Code for 2027**

- M67.A0 - Plantar Fasciitis, Foot
- M67.A01 - Plantar Fasciitis, Right Foot
- M67.A02 - Plantar Fasciitis, Left Foot
- M67.A09 - Plantar Fasciitis, Unspecified Foot

M72.2 Plantar fascial fibromatosis
Plantar fasciitis



NEW CODES CONT.

- M72.20 – Plantar Fascial Fibromatosis, Unspecified Foot
- M72.21 - Plantar Fascial Fibromatosis, Right Foot
- M72.22 - Plantar Fascial Fibromatosis, Left Foot

M72.2 Plantar fascial fibromatosis
Plantar fasciitis



NEW CODES CONT.

- M86.8X1 – Other Osteomyelitis, Shoulder
- M86.8X2 - Other Osteomyelitis, Arm
- M68.8X3 - Other Osteomyelitis, Forearm
- M86.8X4 - Other Osteomyelitis, Hand
- M86.8X5 - Other Osteomyelitis, Thigh
- M86.8X6 - Other Osteomyelitis, Leg
- M86.8X7 - Other Osteomyelitis, Ankle and Foot
- M86.8X80 - Other Osteomyelitis, Skull
- M86.8X81 - Other Osteomyelitis, Face and Sinuses
- M86.8X89 - Other Osteomyelitis, Other Site



NEW CODES CONT.

Chapter 14 Codes – 2 New Codes

**N99.86 – Intraoperative and Postprocedural Complications and Disorders of the Breast
(New Parent Code for 2027)**

- N99.860 - Intraoperative and Postprocedural Nipple Ischemia
- N99.861 - Intraoperative and Postprocedural Nipple Necrosis



NEW CODES CONT.

Chapter 15 Codes – 44 New Codes

- Chapter 15 Codes Have Sequencing Priority Over Codes From Other Chapters.
- Chapter 15 Codes Should Only Be Used on The Maternal Record.
- A Code From Category Z3A Should Be Used to Indicate the Weeks of Gestation



NEW CODES CONT.

O00.12 – Interstitial Ectopic Pregnancy Without Intrauterine Pregnancy – New Parent Code for 2027

- O00.121 - Right Interstitial Ectopic Pregnancy Without Intrauterine Pregnancy
- O00.122 - Left Interstitial Ectopic Pregnancy Without Intrauterine Pregnancy
- O00.129 - Unspecified Interstitial Ectopic Pregnancy Without Intrauterine Pregnancy

O00.13 – Interstitial Ectopic Pregnancy With Intrauterine Pregnancy – New Parent Code for 2027

- O00.131 – Right Interstitial Ectopic Pregnancy With Intrauterine Pregnancy
- O00.132 – Left Interstitial Ectopic Pregnancy With Intrauterine Pregnancy
- O00.139 – Unspecified Interstitial Ectopic Pregnancy With Intrauterine Pregnancy



NEW CODES CONT.

O00.3 – Cesarean Scar Ectopic Pregnancy – New Parent Code for 2027

- O00.31 - Cesarean Scar Ectopic Pregnancy without Intrauterine Pregnancy
- O00.32 - Cesarean Scar Ectopic Pregnancy With Intrauterine Pregnancy

O00.4 – Cervical Ectopic Pregnancy - New Parent Code for 2027

- O00.41 - Cervical Ectopic Pregnancy without Intrauterine Pregnancy
- O00.42 - Cesarean Ectopic Pregnancy with Intrauterine Pregnancy




NEW CODES CONT.

O00.5 – Cornual Ectopic Pregnancy – New Parent Code for 2027

- O00.51 - Cornual Ectopic Pregnancy without Intrauterine Pregnancy
- O00.511 – Right Cornual Ectopic Pregnancy without Intrauterine Pregnancy
- O00.512 - Left Ectopic Pregnancy without Intrauterine Pregnancy
- O00.519 – Unspecified Cornual Ectopic Pregnancy without Intrauterine Pregnancy
- O00.52 – Cornual Ectopic Pregnancy with Intrauterine Pregnancy
- O00.521 – Right Cornual Ectopic Pregnancy with Intrauterine Pregnancy
- O00.522 - Left Ectopic Pregnancy with Intrauterine Pregnancy
- O00.529 – Unspecified Cornual Ectopic Pregnancy with Intrauterine Pregnancy



NEW CODES CONT.



From UCF Health



NEW CODES CONT.

O31.4 – Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More – New Parent Code for 2027

- O31.40 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, Unspecified Trimester
- O31.41 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester
- O31.42 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, Second Trimester
- O31.43 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, Third Trimester



NEW CODES CONT.

O31.4 – Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More – New Parent Code for 2027

- O31.41X0 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Not Applicable or Unspecified
- O31.41X1 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Fetus 1
- O31.41X2 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Fetus 2
- O31.41X3 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Fetus 3
- O31.41X4 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Fetus 4
- O31.41X5 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Fetus 5
- O31.41X9 - Continuing Pregnancy After Vanishing Twin Syndrome of One Fetus or More, First Trimester, Other Fetus



NEW CODES CONT.

6) 7th character for fetus identification

Where applicable, a 7th character is to be assigned for certain categories (O31, O32, O33.3 - O33.6, O35, O36, O40, O41, O60.1, O60.2, O64, and O69) to identify the fetus for which the complication code applies.

Assign 7th character "0":

- ☐ For single gestations
- ☐ When the documentation in the record is insufficient to determine the fetus affected and it is not possible to obtain clarification.
- ☐ When it is not possible to clinically determine which fetus is affected.

4th O31 Complications specific to multiple gestation

 See Official Guidelines, "7th character for Fetus Identification" I.C.15.a.6

EXCLUDES2 *delayed delivery of second twin, triplet, etc. (O63.2)*

malpresentation of one fetus or more (O32.9)

placental transfusion syndromes (O43.0-)

One of the following 7th characters is to be assigned to each code under category O31. 7th character 0 is for single gestations and multiple gestations where the fetus is unspecified. 7th characters 1 through 9 are for cases of multiple gestations to identify the fetus for which the code applies. The appropriate code from category O30, Multiple gestation, must also be assigned when assigning a code from category O31 that has a 7th character of 1 through 9.

0 = not applicable or unspecified

1 = fetus 1

2 = fetus 2

3 = fetus 3

4 = fetus 4

5 = fetus 5

9 = other fetus



NEW CODES CONT.

Chapter 17 Codes – 6 New Codes

- Q87.A – Loeys-Dietz Syndrome
- **QAI - Genetic Disorders Associated with Neoplasms, Not Elsewhere Classified – New Category Code for 2027**
- QAI.7 – Inherited Neoplasm Predisposition Syndromes Involving Multiple systems, Not Otherwise Specified
- QAI.71 – Lynch Syndrome



NEW CODES CONT.

- QAI.79 – Other Inherited Neoplasm Predisposition Syndrome of Multiple Systems
- QAI.790 – Familial Cancer Syndrome with Pathogenic BRCA1 Mutation
- QAI.791 – Familial Cancer Syndrome with Pathogenic BRCA2 Mutation
- QAI.792 – Li Fraumeni Syndrome
- QAI.798 - Other Inherited Neoplasm Predisposition Syndrome of Multiple Systems



NEW CODES CONT.

Chapter 18 – 1 New Code

R78.72 – Abnormal Gadolinium Level in Blood



NEW CODES CONT.

Chapter 19 – 60 New Codes!!!!

- **T52.81 – Toxic Effects of Alkenes**
- T52.811 – Toxic Effects of Alkenes, Accidental (Unintentional)
- T52.812 – Toxic Effects of Alkenes, Intentional Self-Harm
- T52.813 – Toxic Effects of Alkenes, Assault
- T52.814 – Toxic Effects of Alkenes, Undetermined



NEW CODES CONT.

T52.82 – Toxic Effect of Cycloparaffins

- T52.821 - Toxic Effect of Cycloparaffins, Accidental (Unintentional)
- T52.822 - Toxic Effect of Cycloparaffins, Intentional Self-Harm
- T52.823 - Toxic Effect of Cycloparaffins, Assault
- T52.824 - Toxic Effect of Cycloparaffins, Undetermined



NEW CODES CONT.

T52.89 – Toxic Effects of Other Organic Solvents

- T52.891 – Toxic Effects of Other Organic Solvents, Accidental (Unintentional)
- T52.892 – Toxic Effects of Other Organic Solvents, Intentional Self-Harm
- T52.893 – Toxic Effects of Other Organic Solvents, Assault
- T52.894 – Toxic Effects of Other Organic Solvents, Undetermined



NEW CODES CONT.

T59.82 – Toxic Effects of Hexamethylene Diisocyanate

- T59.821 - Toxic Effects of Hexamethylene Diisocyanate, Accidental (Unintentional)
- T59.822 - Toxic Effects of Hexamethylene Diisocyanate, Intentional Self-Harm
- T59.823 - Toxic Effects of Hexamethylene Diisocyanate, Assault
- T59.824 - Toxic Effects of Hexamethylene Diisocyanate, Undetermined



NEW CODES CONT.

T65.85 – Toxic Effect of Medetomidine

- T65.851 – Toxic Effect of Medetomidine, Accidental (Unintentional)
- T65.852 – Toxic Effect of Medetomidine, Intentional Self-Harm
- T65.853 – Toxic Effect of Medetomidine, Assault
- T65.854 – Toxic Effect of Medetomidine, Undetermined



QUICK REMINDER

Standard 7th Character Extensions

- A – Initial Encounter = This is used when the patient is receiving active treatment for an injury
- D – Subsequent Encounter = This is used for encounters after the patient has received active treatment for an injury and is receiving routine care for the injury during the healing or recovery phase.
- S – Sequela – This is used for complications or conditions that arise as a direct result of an injury, such as scar formation after a burn. The scars are sequela of the burn.

There are other 7th character extensions of course.



STRETCH
BREAK!



NEW CODES CONT.

Chapter 21 – 26 New Codes

- Z68.18 – Body Mass Index [BMI] 18.4 or Less, Adult
- Z68.19 – Body Mass Index [BMI] 18.5 – 19.9, Adult
- Z77.013 - Contact with and (suspected) Exposure to Gadolinium
- Z77.32 - Contact with and (suspected) Exposure to Burn Pits in War Theater
- Z77.33 - Contact with and (suspected) Exposure to Agent Orange



NEW CODES CONT.

Z77.4 - Contact with and (suspected) Exposure to Blast Overpressure – New Parent Code for 2027

- Z77.40 - Contact with and (suspected) Exposure to Unspecified Blast Overpressure
- Z77.41 - Contact with and (suspected) Exposure to Low-Level Blast Overpressure
- Z77.42 - Contact with and (suspected) Exposure to High-Level Blast Overpressure
- Z77.49 - Contact with and (suspected) Exposure to Other Blast Overpressure



NEW CODES CONT.

- Z86.17 – Personal History of Clostridioides Difficile Infection
- Z87.8901 – Personal History of Social Gender Transition
- Z87.8902 – Personal History of Medical Gender Transition
- Z87.8903 – Personal History of Surgical Gender Transition
- Z87.8904 – Personal History of Intersex Surgery
- Z87.8909 – Personal History of Unspecified Gender Transition
- Z87.893 – Personal History of Gender Detransition



CHAPTER 22

-
- There are no updates, revisions or deletions for this chapter. I just love pointing out this chapter because it has a grand total of 3 codes. An entire chapter with just 3 codes.



REVISED CODES

4 Revisions for 2027

REVISION




REVISED CODES

- L02.232 – Carbuncle of Back [Any Part, Except Buttock and Flank]
- L03.312 – Cellulitis of Back [Any Part Except Buttock and Flank]
- L03.322 – Acute Lymphangitis of Back [Any Part Except Buttock and Flank]

- Z29.14 – Encounter for Prophylactic Rabies Immune Globulin [was globin]





There are 30 Deleted Codes for 2027.

DELETED CODES



DELETED CODES

- S23.420 – Sprain of Sternoclavicular (Joint)(Ligament)
- S23.420A - Sprain of Sternoclavicular (Joint)(Ligament), Initial Encounter
- S23.420D - Sprain of Sternoclavicular (Joint)(Ligament), Subsequent Encounter
- S23.420S - Sprain of Sternoclavicular (Joint)(Ligament), Sequela



DELETED CODES CONT.

- T52.8X – Toxic Effects of Other Organic Solvents
- T52.8X1 – Toxic Effects of Other Organic Solvents, Accidental (Unintentional)
- T52.8X2 – Toxic Effects of Other Organic Solvents, Intentional Self-Harm
- T52.8X3 – Toxic Effects of Other Organic Solvents, Assault
- T52.8X4 – Toxic Effects of Other Organic Solvents, Undetermined



THANK YOU!

**THAT'S IT
FOR 2027**



CPT UPDATES

Keep an eye out for our 2027 CPT update webinar. Like this webinar, it will be free and good for 1 AAPC CEU.

Dates are TBD.





OHANA CODING

— Medical Coding Education —

VISIT WWW.OHANACODING.COM FOR MORE GREAT
EDUCATIONAL OPPORTUNITIES



ICD-10-CM UPDATE WEBINAR SLIDES

Go to <https://www.ohanacoding.com/icd-10-cm-2027-update-webinar>

